ELSEVIER

Journal of Immunological Methods 190 (1996) 275–276

JOURNAL OF IMMUNOLOGICAL METHODS

Contents of volume 190 (1996)

Number 1 – 28 March 1996

Research reports

A novel method of microwave treatment for detection of cytoplasmic and nuclear antigens by flow cytometry
H.Y. Lan, P. Hutchinson, G.H. Tesch, W. Mu and R.C. Atkins (Australia) 1

The cell-mediated cytotoxic response to influenza vaccination using an assay for granzyme B activity
J.E. McElhaney, M.J. Pinkoski, C.M. Upshaw and R.C. Bleackley (USA) 11

Anti-gp130 transducer monoclonal antibodies specifically inhibiting ciliary neurotrophic factor, interleukin-6, interleukin-11, leukemia inhibitory factor or oncostatin M
Z.-J. Gu, J. Wijdenes, X.-G. Zhang, M.-M. Hallet, C. Clement and B. Klein (France, People's Republic of China) 21

Particle enhanced immunoaggregation of $F(ab')_2$ molecules
J.L. Ortega-Vinuesa, J.A. Molina-Bolívar and R. Hidalgo-Álvarez (Spain) 29

Successful in vitro antigen-dependent activation of 24-hour-old peripheral blood lymphocytes
J.A. Owen, K. Muirhead, C. Jensen and Z.L. Jonak (USA) 39

Development of a method for monitoring the migration of ^{111}In-labelled eosinophils and neutrophils to the lungs of anaesthetized guinea pigs by gamma scintigraphy and bronchoalveolar lavage
C.A. Lewis, S.J. Farr and K.J. Broadley (UK) 51

Development of an enzyme-linked immunosorbent assay for human plasma inter-α-trypsin inhibitor (ITI) using specific antibodies against each of the H_1 and H_2 heavy chains
C. Mizon, M. Balduyck, D. Albani, C. Michalski, T. Burnouf and J. Mizon (France) 61

Micro-trap phosphorylation assay of mitogen-activated protein (MAP) kinases to detect their activation by lipopolysaccharides
I. Waga, K. Kume, I. Ferby, Z.-i. Honda and T. Shimizu (Japan) 71

Detection of hepatitis C virus specific core protein in serum of patients by a sensitive fluorescence enzyme immunoassay (FEIA)
T. Kashiwakuma, A. Hasegawa, T. Kajita, A. Takata, H. Mori, Y. Ohta, E. Tanaka, K. Kiyosawa, T. Tanaka, S. Tanaka, N. Hattori and M. Kohara (Japan) 79

A one step PCR procedure for analysis of tumor specific T lymphocyte responses
M.M. Abu-hadid, H. Fuji, S.-c. Hsu and A.K. Sood (USA) 91

Quantification of cytokine messenger RNA in transfected human T cells by RT-PCR and an automated electrochemiluminescence-based post-PCR detection system
K. Motmans, J. Raus and C. Vandevyver (Belgium) 107

Comparison of three methods for competitive binding of monoclonal antibodies. The localization of antigenic sites for monoclonal antibodies on *Panulirus interruptus* hemocyanin
F.G. Perton, J.H. Dijkema, T. Smilda, B.E. Van Uffelen and J.J. Beintema (Netherlands) 117

Isolation of bone marrow plasma cells by negative selection with immunomagnetic beads
G. Fillola, C. Müller, R. Bousquet, A.-M. Fontanilles, P. Laharrague and J.X. Corberand (France) 127

Physical state of the neuroantigen in adjuvant emulsions determines encephalitogenic status in the BALB/c mouse
J.A. Määttä, J.-P. Eränlinna, M. Röyttä, A.A. Salmi and A.E. Hinkkanen (Finland) 133

Short communication

Comparison of protocols for depleting anti-*E. coli* antibody in immunoblotting of recombinant antigens
G. Covini, E.K.L. Chan, M. Colombo and E.M. Tan (USA, Italy) 143

Announcement 147

Number 2 – 19 April 1996

Research reports

Application of experimental design techniques to optimize a competitive ELISA
G.S. Sittampalam, W.C. Smith, T.W. Miyakawa, D.R. Smith and C. McMorris (USA) 151
Production of a monoclonal antibody against the 128 kDa (CagA) protein of *Helicobacter pylori*
J.C. Stephens, A. Larkins, R.F.L. James and B.J. Rathbone (UK) 163
Simultaneous quantitation of diphtheria and tetanus antibodies by double antigen, time-resolved fluorescence immunoassay
H. Aggerbeck, B. Nørgaard-Pedersen and I. Heron (Denmark) 171
Technical problems arising from the use of the immunoblot for determination of the reactivity of natural antibodies with different lipopolysaccharides (LPS)
G. Schoenherr, D. Roggenbuck, M. Seifert, S. Jahn and T. Porstmann (Germany) 185
Luminometry: a novel bioluminescent immunoassay enhances the quantitation of mucosal and systemic antibody responses
R.J. Jackson, K. Fujihashi, H. Kiyono and J.R. McGhee (USA, Japan) 189
Amplification of genes, single transcripts and cDNA libraries from one cell and direct sequence analysis of amplified products derived from one molecule
P.K. Jena, A.H. Liu, D.S. Smith and L.J. Wysocki (USA) 199
Comparison of antibodies raised against the peptide 10–24 of chicken riboflavin carrier protein (cRCP) by classical and multiple antigen peptide (MAP) approaches
S.D. Mahale, J. Pereira, U. Natraj and K.S.N. Iyer (India) 215
A quantitative ELISA for antigen-specific IgG subclasses using equivalence dilutions of anti-kappa and anti-subclass specific secondary reagentsApplication to the study of the murine immune response against the capsular polysaccharide of *Neisseria meningitidis* serogroup B
J. Colino, M. Diez and I. Outschoorn (Spain) 221
Bioimmunoassays for proinflammatory cytokines involving cytokine-induced cellular adhesion molecule expression in human glioblastoma cell lines
A. Meager (UK) 235
A flow cytometric method for the detection of intracellular basic proteins in unseparated peripheral blood and bone marrow eosinophils
N. Krug, A.M. Thurau, P. Lackie, J. Baier, G. Schultze-Werninghaus, C.H.L. Rieger and U. Schauer (Germany, UK) 245
A new method for double immunolabelling with primary antibodies from identical species
S. Eichmüller, P.A. Stevenson and R. Paus (Germany) 255
Measurement of mouse anti-phospholipid antibodies to solid-phase microspheres by both flow cytofluorometry and Alcian blue-pretreated microtitre plates in an ELISA
M. Laakel, M. Bouchard and J. Lagacé (Canada) 267

Contents of volume 189 (1996) 275

Notes to authors 277